



Your Trusted Partner- In-Vehicle Computing

In 2021, SINTRONES officially partnered with AUO to explore the business of an intelligent transportation ecosystem. A strategic partnership in AloV connected vehicle solutions has been established, and SINTRONES is capable of providing cutting-edge commercial vehicle networking solutions and vehicle display technology. The partnership will bring a one-stop solution for various intelligent transportation needs.

SINTRONES is a world-renowned and ISO 9001 & IRIS ISO/TS 22163 certified company of in-vehicle computing systems. We provide our customers with high-quality products that meet international standards and certification, including EN50121, EN50155, E-Mark, IEC60945, IACS E10, DNV, and MIL-810.

Our team has years of product design and sales experience in X86 platforms and vertical system integration. Our in-vehicle computing products were awarded several patents in many countries. With reliable and robust engineering ability in R&D, SINTRONES provides stable and high-quality product solutions that align with customers' short and long-term needs. We are proud of the passion, agility, and efficient, professional service we offer.

SINTRONES in-vehicle computing solutions aim to complement our customers' success. We thoroughly integrate global sales support, R&D, product planning, and marketing resources to perform professional, high-quality, and simultaneous services and create maximum value for our customers with the best products. SINTRONES in-vehicle computing solutions have been widely adopted and approved by many industries and well-known international brands.

Contact us now to learn more about our significant use cases!




+886-2-8228-0101
sales@sintrones.com

SINTRONES TECHNOLOGY CORP.
2F.-3, No.738, Zhongzheng Rd., Zhonghe Dist.,
New Taipei City 235, Taiwan (R.O.C.)



www.sintrones.com

SEP-22-001



Intelligent Transportation Systems

Certified Fanless Computers

- EDGE AI GPU COMPUTING
- IN-VEHICLE COMPUTING
- EMBEDDED COMPUTING
- VIDEO SURVEILLANCE



Digital Cluster

Intelligent Cockpit



IBOX-500

- NXP's EdgeVerse™ Edge Computing Platform
- i.MX 8X Family Automotive Grade SoC
- Support 5G / GPS / Wi-Fi / Bluetooth / CAN bus
- Smarter Vehicle Power Ignition
- 9V – 60V DC Power Input
- Multi Display Output
- Flexible Deployment
- Effortless One-Cable Connection

VDM-700HD

- 7" / 16 : 9 / 1280 x 720 / Front Panel IP65
- Contrast Ratio: 1000 : 1
- High Brightness: 560 Nits
- Secondary Video Input (HDMI)
- Projected Capacitive Multi-touch
- 9V - 48V DC Power Input
- Operating Temp.: -4 to 140°F (-20~60°C)
- Effortless One-Cable Connection
- Vehicle Regulation E13



In-Vehicle Computing

VBOX-3611

- Intel® Core™ i7-6600U Processor, Up to 3.40 GHz
- Support Dual 5G / WLAN / Wi-Fi / Bluetooth
GPS Dead Reckoning (optional)
- 9V - 48V DC Power Input
- Smarter Vehicle Power Ignition
- Dual Hot-swappable SATA Storage, RAID 0, 1, 5
- 1 x CAN Bus 2.0B (optional)
- Patented Thermal Design
- E13 & EN 50155 Certified



EV Charging Station / Fleet Management



VBOX-3131

- Intel® Celeron® Processor N3060, Up to 2.48 GHz
- Support 5G / LTE / GPS / Wi-Fi / Bluetooth
- Ultra-compact Design
- Easy Installation
- Smarter Vehicle Power Ignition
- 9V - 60V DC Power Input
- Patented Design of Backup Battery Kit

In-Vehicle Computing



VBOX-3630


- Intel® Core™ i7-1185G7E Processor, Up to 4.40 GHz
- Support 5G / LTE / GPS / Wi-Fi / Bluetooth / CAN Bus
- Smarter Vehicle Power Ignition
- Support 4 Independent Display
- 1 x M.2 2280 Key M for NVMe SSD
- 1 x 2.5 GbE, 3 x GbE (M12 Connector or PoE)
- E13 & EN 50155 Certified
- 9V - 60V DC Power Input (VBOX-3630) / Isolated 24V - 110V (VBOX-3630R)

AMR / EV Fleet Management



ABOX-5211

- Intel® Core™ i9-10900TE Processor, Up to 4.60 GHz
- 8 x DI, and 4 x DO
- 4 x RS - 232 / 422 / 485
- 3 x M.2 2280 Key M Support NVMe SSD
- Dual Hot-swappable SATA Storage RAID 0, 1, 5
- 9V - 60V DC Power Input
- Operating Temp.: -40 to 158°F (-40~70°C)
- 8 x GbE RJ45 (optional 8 x PoE)
- Patented Design of Backup Battery Kit



Embedded Computing



SBOX-2622

- Intel® Core™ i7-1185G7E Processor, Up to 4.40 GHz
- Intel® Iris® Xe Graphics
- Triple Display Output (2 x HDMI/VGA)
- Support 5G / LTE / Wi-Fi / Bluetooth
- 4 x DI / 4 x DO (5V/100mA)
- 4 x RS - 232 / 422 / 485
- 9V - 36V DC Power Input
- Wide Range Operating Temp. : -22 to 140°F (-30~60°C)
- Ultra-Slim Mechanical Design

Embedded Computing



SBOX-2320

- Intel® Celeron® Processor N3060, Up to 2.48 GHz
- Triple Display Output - DVI / HDMI / VGA
- Dual Gigabit Ethernet
- 2 x RS - 232
- Wide Range Operating Temp. : -22 to 140°F (-30 to 60°C)
- Ultra Slim Body : 2.1" (54mm) Height
- Fanless & Compact Design
- 9V - 36V DC Power Input

Edge AI - GPU Computing



ABOX-5210

- Intel® Core™ i9-10900TE Processor, Up to 4.60 GHz
- 8 x DI & 4 x DO
- 3 x RS - 232 / 422 / 485
- 1 x M.2 Key B & 1 x M.2 Key A-E
- 3 x miniPCIe Expansion Slots
- Dual Hot-swappable SATA Storage RAID 0, 1, 5
- 9V - 48V DC Power Input
- Operating Temp. : -40 to 158°F (-40 to 70°C)
- 10 x GbE RJ45 (optional 8 x PoE & 8 x M12 X-Code connectors)
- Rolling Stock EN 50155 & EN 50121-3-2 Certified